

Vitamin C Supplements for Guinea Pigs

Jeff Rhody, DVM, DABVP

Date Published: 03/22/2009

Date Reviewed/Revised: 01/28/2020

For the biologic machinery of the body to work correctly, vitamin C is required. Most animals can manufacture vitamin C in their bodies and do not require vitamin C in the diet. Guinea pigs, humans, and other primates share a gene mutation that makes production of vitamin C impossible. For this reason, these animals require a dietary source of vitamin C.

Guinea pigs who do not receive enough vitamin C in their diet can suffer from vitamin C deficiency (commonly known as scurvy in humans). Affected guinea pigs may have a rough hair coat, lack of appetite, dental pain, delayed wound healing, lameness, and an inability to fend off infections. Guinea pigs with a slight vitamin C deficiency may show no visible signs of disease; however, their immune system may be compromised leading to decreased ability to fight off other illnesses



Photo courtesy of Natalie Garden

The amount of vitamin C required by adult guinea pigs is about 20-25 mg/day and up to 30-40 mg/day for pregnant guinea pigs. Guinea pig pellets are fortified with vitamin C. However, because vitamin C is a water-soluble vitamin it loses its potency over time and guinea pig pellets usually have a shelf life of 90 days after the manufacturing date. After this time, the value of the vitamin C can diminish greatly. Many pet guinea pigs have been diagnosed with a vitamin C deficiency even though they were on a good quality guinea pig pellet. Timothy and other hays should be the foundation of any guinea pig diet. Herbivores require this source of food for good digestion, good movement of food through their system and for dental health maintenance. Unfortunately, the vitamin C content of grasses, grass hays, and legume hays like alfalfa is very low. So how do we get this important nutrient into our pets?

Supplements

Some sources still recommend putting vitamin C in the drinking water either by grinding up tablets and dissolving them or by using vitamin C syrup. However, this is not the most effective way of supplementation due to several problems. The most serious problem is that vitamin C supplements in the water change its taste, and the guinea pig may not drink enough water to get adequate amounts. When this happens, not only do guinea pigs not get enough vitamin C, but they may not drink enough water leading to mild to moderate

dehydration. Chronic dehydration may lead to other medical problems such as urinary tract disease. Another issue with vitamin C supplementation of the water involves the stability of the vitamin. Vitamin C is degraded quickly in light, heat, and moisture. Most water bottles are clear so they let in light. It is estimated that after about 8 hours, the amount of active vitamin C in the water is only 20% of the original amount added. For these reasons, adding vitamin C to guinea pig's drinking water is not recommended.

The best way to supplement vitamin C is either through vitamin C tablets or liquids given directly to the guinea pig or through the fresh foods they eat. Abbott and Proctor and Gamble make flavored vitamin C liquids for children. Abbott's product (Cecon) is considered by the company to be stable for 3 years from the date of manufacture (1). Proctor and Gamble states that Vicks C drops is stable for 2 years from date of manufacture (1). Other companies have flavored tablets that are listed on the label as being good for about 2 years from date of manufacture (e.g. Kirkman Labs). Oxbow company makes a vitamin C tablet (GTN-50C) for guinea pigs. These tablets are flavored and accepted by many pets as treats. Each tablet contains 50 mg of encapsulated vitamin C. Oxbow states the vitamin C is stable for 1 year from the date of manufacture¹. Always be sure to check the expiration date of the product used and do not use past that date.

When using preparations of vitamin C rather than fresh foods, it is important to be sure your pet accepts the treats. Experimenting with different flavors will help you see what your guinea pig enjoys. The tablets can be given by hand if accepted or crushed and sprinkled on a special green (moistened) they like. The liquids can either be given by dropper or syringe (if accepted easily). If you have to fight to get your pet to take the liquid, try something else. Try different methods of feeding different supplements and see what works for you. A trial of a week for each method will give you a good idea what will work and what will not.

Fresh Foods Rich in Vitamin C

Probably the best and perhaps the healthiest way for your guinea pig to get a proper amount of vitamin C per day is through feeding fresh foods that are rich in vitamin C. The foods mentioned below are not only rich in vitamin C but also in a variety of other vitamins and trace minerals. In addition, chewing on these foods is good for the teeth and allows for variety in their diet. A varied diet can be mentally stimulating and is actually an environmental enrichment.

Many foods contain vitamin C. The foods that contain the highest levels of vitamin C per weight of food item are considered vitamin C-rich. However, to supplement a guinea pig with vitamin C, we must also consider the acceptability of the food item to the pig. Unlike children, we cannot make them stay at the dinner table until they have cleaned their plate. We also have to consider whether the vitamin C rich food item is appropriate for an herbivore like the guinea pig.

There are many Internet sites that report nutritional analysis of food items.

Unfortunately, the vitamin C content reported varies between sites. This may be related to misinformation or to a failure to report how the analysis was done, the weight of the food item tested, the way the food was prepared (e.g. cooked, raw), and/or the part of the plant that was tested (e.g., leaves, flowers, stalks). For the purposes of this article, the authors depended on food analysis at two sites. The first site consulted was the USDA's report on



Photo courtesy of Depositphotos

vitamin C content. For food items not analyzed raw by the USDA, we consulted a web site called Nutrition Data. This web site correlated well with the USDA site on many food analyses and was deemed reliable.

Below you will find a table listing what the authors consider to be excellent, good, fair, and poor choices for vitamin C supplementation in guinea pigs. In this chart, you will find the food item (first column) and the amount of that item needed to provide your pet with 25 mg vitamin C per day (fourth column).

The authors debated about including the items considered a poor source of vitamin C in this article. However, many owners feed these items as treats. For this reason, we opted to make mention of some very poor choices of vitamin C sources. Since we started this list by perusing the USDA report for foods with no less than 30mg vitamin C per measure, if you do not see a food on this list, it is likely to be a very poor source of vitamin C. However, if there is any doubt, consult the web sites above and search for your food item. All foods mentioned are raw unless otherwise noted.

Please do not forget to feed your guinea pig hay, dark leafy greens and vitamin C. A balanced diet rich in vitamin C is the best thing you can provide for your pet.

Enjoy feeding vitamin C and enriching the diet and life of your pig!

(1) These figures regarding stability were obtained through contact with each company's technical service department.

EXCELLENT Choice for Supplementing Guinea Pig Diet

Food Item	Weight or Volume of Food	Vitamin C in weight or volume of food	Amount needed to provide 25 mg/day
Guava	1 cup = 165 mg	377 mg	1.1 tbsp
Red Peppers	1 cup chopped = 149 g	190 mg	2.1 tbsp chopped
Kale	1 cup chopped = 67 g	80.4 mg	5 tbsp (1/3 cup)
Mustard tendergreens	1 cup chopped = 150 g	195 mg	2.1 tbsp chopped
Parsley	1 cup = 60 g	79.8 mg	5 tbsp (1/3 cup)

Broccoli	1 cup chopped = 91 g	81.2 mg	5 tbsp (1/3 cup)
Broccoli flowerets	1 cup = 71 g	66.2 mg	6 tbsp (between 1/3 and 1/2 cup)
Broccoli leaves	1 oz = 28 g	26.1 mg	2 tbsp
Broccoli stalks	1 oz = 28 g	26.1 mg	2 tbsp
Lambsquarter	1 oz = 28 g	22.4 mg	2.2 tbsp
Cauliflower	1 floweret = 13 g	6.0 mg	About 4 flowerets

GOOD Choice for Supplementing Guinea Pig Diet

Food Item	Weight or Volume of Food	Vitamin C in weight or volume of food	Amount needed to provide 25 mg/day
Strawberry	Avg berry = 18 g	10.6 mg	About 2.5 average berries
Kiwi	1 cup = 17 g	164 mg	2.4 tbsp
Green pepper	1 cup chopped = 149 g	120 mg	3.4 tbsp chopped
Mustard greens	1 cup = 56 g	39.2mg	1/2-3/4 cup

FAIR Choice for Supplementing Guinea Pig Diet

Food Item	Weight or Volume of Food	Vitamin C in weight or volume of food	Amount needed to provide 25 mg/day
Kohlrabi	1 cup = 135 g	89.1 mg	Just over 1/2 cup
Papaya	1 cup = 140 g	86.5 mg	Just under 1/3 cup
Snap peas	1 cup = 98 g	58.8 mg	Just under 1/2 cup
Turnip greens	1 cup = 55 g	39.5 mg	Just under 1/2 cup

Red cabbage	1 cup = 70 g	39.9 mg	Just under 1/2 cup
Orange	Avg orange = 131 g	69.7 mg	Between 1/4 and 1/2 avg orange
Peas	1 cup = 58 mg	58 mg	About 1/2 cup
Clementines	Avg Clementine = 74 g	36.1 mg	Almost 1/2 average Clementine
Cantaloupe	1 cup balls = 177 g	65 mg	Between 1/4 and 1/2 cup of melon balls
Pineapple	1 cup chunks = 165 g	78.9 mg	1/3 cup of chunks

POOR Choice for Supplementing Guinea Pig Diet

Food Item	Weight or Volume of Food	Vitamin C in weight or volume of food	Amount needed to provide 25 mg/day
Dill weed	5 sprigs = 1 g	0.9 mg	154 sprigs
Dried tarragon	1 oz = 28 g	14 mg	About 4 tbsp
Dried basil	1 oz = 28 g	17.1 mg	About 3 tbsp
Dried oregano	1 oz = 28 g	14 mg	About 4 tbsp
Lemon	Avg lemon = 58 g	30.7 mg	80% of average lemon
Dried cilantro	1 tbsp = 2 g	9.9 mg	2.5 tbsp
Chinese cabbage (pak choi or bak choi)	1 cup shredded = 70.0 g	31.5 mg	Over 1/2 cup
Beet greens	1 cup = 38 g	11.4 mg	Over 2 cups
Starfruit (carambola)	Avg fruit = 91 g	31.3mg	Over 1/2 of an average starfruit
Collard greens	1 cup = 36 g	12.7 mg	2 cups
Watercress	1 cup chopped = 34 g	14.6 mg	About 1 and 1/2 cups
Grapefruit	Avg fruit = 120 g	38.5 mg	Just under grapefruit

Dr. Deborah Monks contributed to this article.

URL: <https://veterinarypartner.vin.com/doc/?id=4952750&pid=19239>

The content of this site is owned by Veterinary Information Network (VIN®), and its reproduction and distribution may only be done with VIN®'s express permission.

The information contained here is for general purposes only and is not a substitute for advice from your veterinarian. Any reliance you place on such information is strictly at your own risk.

Links to non-VIN websites do not imply a recommendation or endorsement by VIN® of the views or content contained within those sites.